

# TABLE OF CONTENTS

## ABSTRACT

## GENERAL INTRODUCTION

1. Sperm protein 17 (Sp17) background
  - 1.1 Sp17 sequence
  - 1.2 Sp17 protein
  - 1.3 Sp17 expression
2. Cancer-testis antigens
3. Goals of the investigation
4. Figures
5. References

## EXPERIMENTAL APPROACH

### CHAPTER I: Characterization Of The Intron-Containing Human Sperm Protein 17 Gene

1. Abstract
2. Introduction
3. Materials and Methods
  - 3.1 RNA isolation
  - 3.2 DNase and Reverse transcription (RT)
  - 3.3 Polymerase chain reaction (PCR)
  - 3.4 RNA ligase mediated rapid amplification of cDNA ends (RLM-RACE)
  - 3.5 3' RACE PCR
  - 3.6 DNA cloning and sequencing
  - 3.7 Sp17 sequence analysis
  - 3.8 RT-PCR amplification of the Sp17 gene intron 1
4. Results
  - 4.1 Sequence analysis: Rejection of the published human Sp17 cDNA model
  - 4.2 Sp17 5' UTR sequence
  - 4.3 Sp17 3' UTR sequence
  - 4.4 Sp17 promoter sequence analysis
  - 4.5 Analysis of the full length Sp17 nucleotide sequence
  - 4.6 Characterization of the Sp17 genomic structure
5. Discussion
6. Conclusion
7. Tables and Figures
8. References

### CHAPTER II: Characterization Of The Intronless Human Sperm Protein 17 Gene Variant

1. Abstract
2. Introduction
3. Materials and Methods
  - 3.1 RNA isolation, DNase treatment and Reverse transcription (RT)
  - 3.2 Polymerase chain reaction (PCR)

- 3.3 Southern blot analysis of human genomic DNA
- 4. Results
  - 4.1 PCR analysis
  - 4.2 Sp17 promotor sequence analysis
  - 4.3 Southern blot hybridization
  - 4.4 Sp17-2 analysis in non-human mammals
- 5. Discussion
- 6. Conclusion
- 7. Tables and Figures
- 8. References

### **CHAPTER III: Development Of A Polyclonal Anti-Sperm Protein 17 Antibody**

- 1. Abstract
- 2. Introduction
- 3. Materials and Methods
  - 3.1 Construction of a Sp17 expression vector
    - 3.1.1 PCR amplification
    - 3.1.2 Subcloning into pQE vectors
    - 3.1.3 DNA sequencing
  - 3.2 Expression of recombinant protein in *Escherichia coli*
    - 3.2.1 Sp17 recombinant protein expression in *E. coli*
    - 3.2.2 Sodium dodecyl sulfate polyacrylamide gel-electrophoresis
    - 3.2.3 Sp17 protein production time course study
    - 3.2.4 Sp17 recombinant protein solubility
    - 3.2.5 Purification of the Sp17 recombinant protein
  - 3.3 Production of anti-Sp17 polyclonal antibodies
    - 3.3.1 Anti-Sp17 polyclonal antibody
    - 3.3.2 ELISA analysis of anti-Sp17 sera
    - 3.3.3 Dot blot analysis
- 4. Results
  - 4.1 Analysis Sp17 expression vector
  - 4.2 Characterization of the Sp17 recombinant protein in *E. Coli*
  - 4.3 Characterization of the rabbit polyclonal anti-recombinant Sp17 sera
- 5. Discussion
- 6. Conclusion
- 7. Tables and Figures
- 8. References

### **CHAPTER IV: Characterization Of Sperm Protein 17: A Primate Model**

- 1. Abstract
- 2. Introduction
- 3. Materials and Methods
  - 3.1 RNA isolation, DNase treatment and Reverse transcription (RT)
  - 3.2 Polymerase chain reaction (PCR)
  - 3.3 Northern blot analysis
  - 3.4 Western blot analysis

4. Results
  - 4.1 Coding region RT-PCR
  - 4.2 Sp17-1 gene transcript
  - 4.3 Sp17-2 gene
  - 4.4 Northern blot hybridization
  - 4.5 Western blot analysis
5. Discussion
6. Conclusion
7. Tables and Figures
8. References

## **CHAPTER V:**

### **Characterization of Sperm Protein 17 In Human Somatic and Neoplastic Tissues**

1. Abstract
2. Introduction
3. Materials and Methods
  - 3.1 Cell culture
  - 3.2 RNA isolation, DNase treatment and Reverse transcription (RT)
  - 3.3 Polymerase chain reaction (PCR)
  - 3.4 Northern blot analysis
  - 3.5 Western blot analysis
4. Results
  - 4.1 Sp17-1 gene transcript
  - 4.2 Sp17-2 gene
  - 4.3 Northern blot hybridization
  - 4.4 Western blot analysis
5. Discussion
6. Conclusion
7. Tables and Figures
8. References

## **SUMMARY AND CONCLUSION**